A 58-year-old patient appeared multiple spots in front of the right eye within 2-3 hours. During the examination, it was observed that visual acuity was 0.02 eccentric, the pupil of the right eye was moderately dilated, and light reaction was reduced. The results of ophthalmoscopy: multiple retinal hemorrhages with different sizes and shapes (the "crushed tomato" symptom), optic disc swollen and hyperemic. From the anamnesis it is known about the presence of hypertension of the II degree. What is the diagnosis?

(TOPIC 11: Diseases of the retina. Emergency conditions in ophthalmology (acute central retinal vein and its branches occlusion, central retinal artery embolism, retinal detachment, orbital phlegmon).)

A 58-year-old patient appeared multiple spots in front of the right eye within 2-3 hours. During the examination, it was observed that visual acuity was 0.02 eccentric, the pupil of the right eye was moderately dilated, and light reaction was reduced. The results of ophthalmoscopy: multiple retinal hemorrhages with different sizes and shapes (the "crushed tomato" symptom), optic disc swollen and hyperemic. From the anamnesis it is known about the presence of hypertension of the II degree. What is the diagnosis?

Central retinal vein thrombosis
Diabetic retinopathy
Hypertensive angioneuropathy
Hypertensive angiopathy
Embolism of the central retinal artery

(TOPIC 11: Diseases of the retina. Emergency conditions in ophthalmology (acute central retinal vein and its branches occlusion, central retinal artery embolism, retinal detachment, orbital phlegmon).)

Ключові слова*

A 58-year-old patient appeared multiple spots in front of the right eye within 2-3 hours. During the examination, it was observed that visual acuity was 0.02 eccentric, the pupil of the right eye was moderately dilated, and light reaction was reduced. The results of ophthalmoscopy: multiple retinal hemorrhages with different sizes and shapes (the "crushed tomato" symptom), optic disc swollen and hyperemic. From the anamnesis it is known about the presence of hypertension of the II degree. What is the diagnosis?

Central retinal vein thrombosis
Diabetic retinopathy
Hypertensive angioneuropathy
Hypertensive angiopathy
Embolism of the central retinal artery

(TOPIC 11: Diseases of the retina. Emergency conditions in ophthalmology (acute central retinal vein and its branches occlusion, central retinal artery embolism, retinal detachment, orbital phlegmon).)